NORTH YORKSHIRE COUNTY COUNCIL

EXECUTIVE REPORT

8 December 2020

SCHOOLS CONDITION CAPITAL PROGRAMME 2020/21 – ADDITIONAL ALLOCATION

Report of the Corporate Director – Children and Young People's Service

1.0 PURPOSE OF THE REPORT

1.1 To seek Executive approval for an addition to the Schools Condition Capital Programme for 2020/21

2.0 EXECUTIVE SUMMARY

- 2.1 In announcements made in April 2020 the DfE allocated Schools Condition funding totalling £9.78 m to North Yorkshire County Council for 2020/21.
- 2.2 This was a further single year allocation. A one-year programme for 2020/21 was approved by the Executive on 9 June 2020 and is currently being delivered. It is monitored through the quarterly capital report.
- 2.3 On 29 June 2020 the Prime Minister signalled the intention to provide an additional £560m nationally for repairs and upgrades to schools. Subsequently, on 5 August, the County Council received confirmation of an additional allocation of £4.54m in Schools Condition funding for 2020/21.
- 2.4 This report proposes the first commitment against this additional funding should be for a programme of mechanical works targeting the upgrade /replacement of boilers and heating infrastructure at a significant number of our schools, with investment totalling £1.8m.

3.0 GOVERNMENT ANNOUNCEMENTS

- 3.1 The first Schools Condition Grant (SCG) allocation for 2020/21 was announced on 15 April 2020 and was for £9.78m. The second allocation announcement was made on 5 August 2020 and confirmed an additional £4.54m in SCG.
- 3.2 SCG is part of the Single Capital Pot and may be used for all local priorities, although they are intended specifically for investment in schools (and notionally for Children's Centres). SCG funding does not have to be used strictly for maintenance; it is the only capital funding stream available to support other capital improvement works e.g. compliance, suitability, invest to save projects or investment required to address strategic service priorities.
- 3.3 Both allocations this year are once again 100% grant funded (no borrowing approvals or PFI). There is no time limit on expenditure so can be carried forward if unspent at the end of the financial year without risk of claw back. The following tables compare the allocations over the past three years:

4.0 PRIORITIES FOR INVESTMENT

4.1 The Local Priority Statement, which spells out the County Council's priorities for investment in schools, was reviewed and approved by full council in February 2015 following

consultation. A further review is scheduled for completion before the 2021/22 Schools Capital Programme is set.

- 4.2 The key priorities contained within the statement are reflected in the 2020/21 capital programme. They are:
 - Providing new school places in areas of growth
 - Supporting school improvement through collaboration between schools and the restructuring of educational provision
 - Meeting key local service priorities or statutory service obligations
 - Enabling savings or efficiencies to be made in the use of property
 - Ensuring compliance with statutory and regulatory requirements
 - Maintaining the condition of the school estate to ensure buildings continue to be safe, warm, weather-tight and fit for their purpose.
- 5.0 SCHOOLS CONDITION CAPITAL PROGRAMME 2020/21
- 5.1 The Executive approved the Schools Condition Capital Programme for 2020/21 at their meeting on 9 June 2020. As usual the Programme included commitments for:
 - Capital planned maintenance
 - General compliance ensuring health, safety and welfare
 - Accessibility schemes
 - Prefabricated classroom replacements
 - Modernisation/suitability schemes
 - Advanced feasibilities
- 5.2 For the first time the Programme also included a £1.6m allocation for the Specialist Provision Targeted Capital Programme.
- 5.3 CYPS have commissioned the Programme via the Property Service's Capital Programme Team in line with established corporate arrangements. The Property Service is responsible for directly delivering and/or procuring, via the North Yorkshire consultancy 'Align Property Partners', the required technical and professional advice and for procuring schemes from the County Council's framework contractors. Every effort has been made to ensure timely delivery although the Covid-19 situation has affected schemes and particularly those that were due for delivery in Summer 2020.
- 5.4 It is necessary to retain an element of client contingency within the Programme to ensure that funding is available where unforeseen additional costs arise as schemes develop through feasibility and into detailed design and procurement. There was, as there always is, an element of contingency included within the approved Capital Planned Maintenance Programme to meet unforeseen emergency work that emerges during the year relating to asbestos or other urgent and unplanned infrastructure requirements. The general contingency addresses any additional costs associated with 2019/20 schemes yet to be completed as well as those in the current 2020/21 programme. The value of the approved contingency for 2020/21 was £850k, which compared to £1.69m in 2019/20. At this relatively early stage of programme delivery, it is considered prudent to retain the contingency approved in June, rather than seek to re-allocate it for new proposals.

6.0 PROPOSED COMMITMENT AGAINST ADDITIONAL SCG ALLOCATION

6.1 The Property Service have reviewed the options for increasing the planned maintenance element of the current programme, as an initial use of some of the additional capital provided. The existing programme approved in June took account of the health and safety limitations presented by working on live school sites particularly in a Covid 19 scenario. They

- 6.2 The outcome of the above review is a recommendation that the best way to achieve an increased planned maintenance programme would be through a targeted programme of mechanical works, which would address significant backlog maintenance issues associated with boilers and associated infrastructure.
- 6.3 In addition to addressing condition related issues, the recommended works would have a significant impact upon CO2 emissions. New boilers are typically 15-20% more efficient than the old infrastructure that is replaced and therefore, benefits are derived from both reduced emissions and costs incurred by the respective schools.
- 6.4 Appendix 1 shows the works proposed works, the 34 schools involved and the total value of the programme at £1.75m including fee costs and contingency.
- 6.5 These works can be completed in the next 12 months. Where works are planned to be completed on 'live' sites it is proposed to provide full separation for contractors using dedicated site setup/welfare facilities. This would significantly reduce the impact on the sites in terms of Covid 19 risk and general health and safety issues associated with working on live sites.

7.0 UNALLOCATED SUMS

- 7.1 The approved 2020/21 Programme included provision of £149k for advance feasibility work required as part of the early development of projects for the Capital Programme in 2021/22. This has comprised 17 feasibility studies, which will all be completed by early 2021. The purpose of this is to provide greater cost certainty moving forward, an approach, which is increasingly proving to be successful. If appropriate, following completion of feasibility work, capital allocations for a project(s) may be made against the general contingency or other uncommitted elements of the 20/21 Capital Programme. Should this be required, any additional commitments would be reported through the quarterly capital monitoring report. More likely though, the majority of these proposed schemes will be considered for inclusion in the next programme for 2021/22.
- 7.2 Given the total capital requirement for next year is not yet know it is proposed that no further commitments be made against the additional allocation for 2020/21 and that the unallocated balance of £2.79m be rolled forward for allocation in the programme for 2021/22. Given the normal timing of annual announcements we would expect this programme to be brought forward for Executive approval in May or June 2021.

8.0 RECOMMENDATIONS

- 8.1 It is recommended that the Executive:
 - i. Approve the proposed addition to the Schools Capital Programme for 2020/21 as summarised in Appendix A.
 - ii. Note the intention that £2.79m, constituting the unallocated element of the additional funding, be rolled forward for inclusion in the Schools Capital Programme for 2021/22.

Stuart Carlton Corporate Director – Children and Young People's Service COUNTY HALL, NORTHALLERTON 24 November 2020 Authors of report – Andrew Dixon, Strategic Planning Manager & Jon Holden, Head of Property Service

Appendix 1 – Additional programme of mechanical works

Background Documents – Report to Executive 9 June 2020

Proposed programme of mechanical works for 2020/21 using additional School Condition Grant allocation received on 5 August 2020

Northstead Community Primary School Replacement of 7No electric water heaters Primary School Replacement of calorifiers/cylinders to 5No rooms Stillington Primary School Replacement of oil fired boiler Colour CP School Replacement of oil fired boiler Colour CP School Replacement of calorifier Pickering Community Junior School Replacement of calorifier Hutton Rudby Community Primary School Replacement of water heater Replacement of water storage tanks or pressurise the system Replacement of boilers Thirsk Community Primary School Replacement of boiler Primary School Replacement of boiler Replacement of boiler Replacement of boiler Stateley's Both Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler Replacement of purps (3No) Replacement of purps (3No) Replacement of purps (3No) Replacement of purps (2No) Replacement of purps (2No) Replacement of purps (2No) Replacement of purps (2No) Replacement of purps (2No) Replacemen	School	Works
School Replacement of calorifiers/cylinders to 5No rooms Thorpe Willoughby Community Primary School Replacement of pipework Stillington Primary School Replacement of oil fired boiler Colburn CP School Replacement of calorifier Pickering Community Junior School Replacement of calorifier Hutton Rudby Community Primary School Replacement of water heater Thirsk Community Primary School Replacement of allorifier Bradley's Both Community Primary School Replacement of boiler Replacement of boiler Replacement of boiler Rettlessing Felliscifife Community Primary School Replacement of boiler Rettlessing Felliscifife Community Primary School Alterations to pipework in boiler room. Grove Road Community Primary School Replacement of boiler Result Replacement of boiler Result Replacement of boiler Primary School Replacement of boiler Grove Road Community Primary School Replacement of boiler Primary School Replacement of boiler Thornton in Craven Community Primary School Replacement of boiler Replacement of pumps (3No) Replacement of pumps (2No)		Replacement of 7No electric water beaters
Interpretation Replacement of pipework Stillington Primary School Replacement of oil fired boiler Colburn CP School Replacement of calorifier Pickering Community Junior School Replacement of pipework (remove existing lead pipework) Hutton Rudby Community Primary School Replacement of alorifier Replacement of water heater Replacement of water storage tanks or pressurise the system Thirsk Community Primary School Replacement of boiler Bradley's Both Community Primary School Replacement of boiler Rettlesing Fellisciffe Community Primary School Replacement of boiler Rettlesing Fellisciffe Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Renew Powermatic heater Primary School Replacement of boiler Thornton in Craven Community Primary School Replacement of boiler Replacement of pumps (3No) Replacement of pumps (3No) Replacement of pumps (2No) Replacement of pumps (2No) Replacement of pumps (2No) Replacement of pumps (2No) Replacement of pumps (2No) Replacement of pumps (2No) Replacement of pumps (2No) Replacement of pumps (2No) <	School	
Stillington Primary SchoolReplacement of oil fired boilerColburn CP SchoolReplacement of calorifierPickering Community Junior SchoolReplacement of pipework (remove existing lead pipework)Hutton Rudby Community Primary SchoolReplacement of vater heaterThirsk Community Primary SchoolReplacement of soliersPrimary SchoolReplacement of boilerPrimary SchoolReplacement of boilerPrimary SchoolReplacement of boilerKettlesing Felliscliffe Community Primary SchoolReplacement of boilerKettlesing Felliscliffe Community Primary SchoolReplacement of boilerResplacement of boilerReplacement of boilerKettlesing Felliscliffe Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolReplacement of boilerGlasshouses Community Primary SchoolReplacement of boilerBeckwithshaw Community Primary SchoolReplacement of boilerThornton in Craven Community Primary SchoolReplacement of boilerReplacement of pumps (2No)Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of TNo electric storage heaters to top schoolReplacement of Calorifier/cylinderReplacement of TNo electric storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of DoilerSeponithorne CE Primary SchoolReplacement of Electric Storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of boilerSeponithorne CE Primary SchoolReplacement of boilerS		· · ·
Colburn CP School Replacement of calorifier Pickering Community Junior School Replacement of pipework (remove existing lead pipework) Hutton Rudby Community Primary School Replacement of calorifier Replacement of water heater Thirsk Community Primary School Replacement of subscription Bradley's Both Community Primary School Replacement of boiler Retlacement of boiler Replacement of boiler Retlacement of boiler Replacement of boiler Kettlesing Felliscliffe Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler Glasshouses Community Primary School Replacement of boiler Beckwithshaw Community Primary School Replacement of boiler Replacement of boiler Replacement of boiler Ingleton Primary School Replacement of boiler Replacement of pumps (3No) Replacement of pumps (2No) Replacement of Duoler Replacement of pumps (2No) Replacement of Duoler Replacement of Solier Ingleton Primary School Replacement of Electric Storage heaters to top school <tr< td=""><td>Replacement of pipework</td></tr<>		Replacement of pipework
Pickering Community Junior School Replacement of pipework (remove existing lead pipework) Hutton Rudby Community Primary School Replacement of calorifier Replacement of water heater Replacement of water storage tanks or pressurise the system Thirsk Community Primary School Replacement of JNo boilers Bradley's Both Community Primary School Replacement of boiler Rettlesing Felliscliffe Community Primary School Replacement of boiler Kettlesing Felliscliffe Community School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler Beckwithshaw Community Primary School Pressurise system Beckwithshaw Community Primary School Replace pipework to main hall Replacement of boiler Replacement of boiler Indigton Primary School Replacement of Doiler Replacement of pumps (3No) Replacement of pumps (3No) Replacement of Electric Overhead Radiant Heaters (4No) Replacement of Electric Overhead Radiant Heaters (4No) Settrington All Saints' C of E VC Primary School Replacement of boiler Killinghall CE Primary School Replacement of boiler Killinghall CE Primary School		Replacement of oil fired boiler
School Replacement of pipework (remove existing read pipework) Hutton Rudby Community Primary School Replacement of calorifier Replacement of water heater Thirsk Community Primary School Replacement of allorifier Replacement of solers Bradley's Both Community Primary School Replacement of boiler Replacement of boiler Kettlesing Felliscliffe Community Primary School Replacement of boiler Replacement of boiler room. Grove Road Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler (Room 104) Summerbridge Community Primary School Replacement of boiler Beckwithshaw Community Primary School Replacement of boiler Beckwithshaw Community Primary School Replacement of boiler Replacement of boiler Replacement of boiler Indict of a community Primary School Replacement of boiler Replacement of boiler Replacement of boiler Replacement of pumps (3No) Replacement of pumps (3No) Replacement of calorifier/cylinder Replacement of calorifier/cylinder Crakehall CE Primary School Replacement of Electric Overhead Radiant Heaters (4No) Settrington All Saints' C of E VC Primary School Replacement of bo	Colburn CP School	Replacement of calorifier
Hutton Rudby Community Primary SchoolReplacement of water heater Replacement of water storage tanks or pressurise the systemThirsk Community Primary SchoolReplacement of 3No boilersBradley's Both Community Primary SchoolReplacement of boilerKettlesing Felliscliffe Community Primary SchoolAlterations to pipework in boiler room.Grove Road Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolRenew Powermatic heaterBashouses Community Primary SchoolReplacement of boilerBeckwithshaw Community Primary SchoolReplacement of boilerBeckwithshaw Community Primary SchoolReplacement of boilerIngleton Primary SchoolReplacement of boilerReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of Electric storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettington All Saints' C of E VC Primary SchoolReplacement of boilerSetby Abbey CE VC Primary SchoolReplacement of boilerSetbol CE Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerSetbol CE Primar		Replacement of pipework (remove existing lead pipework)
Primary SchoolReplacement of water itoriage tanks or pressurise the systemThirsk Community Primary SchoolReplacement of 3No boilersBradley's Both Community Primary SchoolReplacement of boilerKettlesing Felliscliffe Community Primary SchoolAlterations to pipework in boiler room.Grove Road Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolReplacement of boiler (Room 104)Beckwithshaw Community Primary SchoolReplacement of boilerGlasshouses Community Primary SchoolReplacement of boilerBeckwithshaw Community Primary SchoolReplacement of boilerIngleton Primary SchoolReplacement of boilerIngleton Primary SchoolReplacement of pumps (3No)Bedale C E Primary SchoolReplacement of pumps (2No)Bedale C E Primary SchoolReplacement of Not electric storage heaters to top schoolLyter C of E VC Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE		Replacement of calorifier
Replacement of water storage tanks or pressurise the systemThirsk Community Primary SchoolReplacement of 3No boilersBradley's Both Community Primary SchoolReplacement of boilerKettlesing Felliscilife Community Primary SchoolReplacement of boilerKettlesing Felliscilife Community Primary SchoolAlterations to pipework in boiler room.Grove Road Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolRenew Powermatic heaterGlasshouses Community Primary SchoolReplacement of boilerBeckwithshaw Community Primary SchoolReplacement of boilerInformation in Craven Community Primary SchoolReplacement of boilerIngleton Primary SchoolReplacement of pumps (3No)Bedale C E Primary SchoolReplacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of DilerSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSettrington All Sains' C of E VC Primary SchoolReplacement of boiler <td>Replacement of water heater</td>		Replacement of water heater
SchoolPrepriatement of sNo BoliersBradley's Both CommunityReplacement of boilerKettlesing Fellisciffe CommunityAlterations to pipework in boiler room.Kettlesing Fellisciffe CommunityAlterations to pipework in boiler room.Replacement of boiler (Room 104)Replacement of boiler (Room 104)Summerbridge CommunityRenew Powermatic heaterPrimary SchoolRenew Powermatic heaterGlasshouses Community Primary SchoolPressurise systemBeckwithshaw CommunityReplacement of boilerPrimary SchoolReplace pipework to main hallInorton in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerSetby Abbey CE VC Primary SchoolReplacement of boilerSetby Abbey CE VC Primary SchoolReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boilerSchoolReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSetby Abbey	Fillinary School	Replacement of water storage tanks or pressurise the system
Primary SchoolReplacement of boilerKettlesing Felliscliffe Community Primary SchoolAlterations to pipework in boiler room.Grove Road Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolRenew Powermatic heaterGlasshouses Community Primary SchoolPressurise systemBeckwithshaw Community Primary SchoolReplacement of boilerThornton in Craven Community Primary SchoolReplacement of boilerIngleton Primary SchoolReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of Electric Storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKellinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerSettorington All Saints' C of E VC Primary SchoolReplacement of boilerSettorington A		Replacement of 3No boilers
Kettlesing Felliscliffe Community Primary SchoolAlterations to pipework in boiler room.Grove Road Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolRenew Powermatic heaterGlasshouses Community Primary SchoolPressurise systemBeckwithshaw Community Primary SchoolReplacement of boilerInorton in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of boilerIngleton Primary SchoolReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSetby Abbey CE VC Primary SchoolReplacement of boiler (2No)Replacement of boilerReplacement of boilerSetby Abbey CE VC Primary SchoolReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerSetby Abbey CE Primary SchoolReplacement of boiler </td <td rowspan="2"></td> <td>Replacement of boiler</td>		Replacement of boiler
Primary SchoolAlterations to pipework in boiler room.Grove Road Community Primary SchoolReplacement of boiler (Room 104)Summerbridge Community Primary SchoolRenew Powermatic heaterGlasshouses Community Primary SchoolPressurise systemBeckwithshaw Community Primary SchoolReplacement of boilerBeckwithshaw Community Primary SchoolReplacement of boilerInformation in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of boilerBedale C E Primary SchoolReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerReplacement of boilerReplacement of boilerSchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSchoolReplacement of boilerSchoolReplacement of boilerSc		Replacement of boiler
SchoolReplacement of boller (Koon 104)Summerbridge Community Primary SchoolRenew Powermatic heaterGlasshouses Community Primary SchoolPressurise systemBeckwithshaw Community Primary SchoolReplacement of boilerThornton in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of boilerReplace Primary SchoolReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerReplacement of boilerReplacement of boilerSelby Abbey CE Primary SchoolReplacement of boilerSchoolReplacement of boilerReplacement of boilerReplacement of boilerReplacement of boilerReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boiler </td <td></td> <td>Alterations to pipework in boiler room.</td>		Alterations to pipework in boiler room.
Primary SchoolReflew Powermatic fleaterGlasshouses Community Primary SchoolPressurise systemBeckwithshaw Community Primary SchoolReplacement of boilerThornton in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of boilerReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of 7No electric storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSetby Abbey CE VC Primary SchoolReplacement of boilerSetoolReplacement of boilerSetoolReplacement of boilerSetoolReplacement of boilerSchoolReplacement of boilerSetoolReplacement of boiler <t< td=""><td></td><td>Replacement of boiler (Room 104)</td></t<>		Replacement of boiler (Room 104)
SchoolPressurise systemBeckwithshaw Community Primary SchoolReplacement of boilerThornton in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of boilerReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of rNo electric storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Reelacement of boilerReplacement of boilerSettrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boiler	Primary School	Renew Powermatic heater
Primary SchoolReplacement of boilerThornton in Craven Community Primary SchoolReplace pipework to main hallIngleton Primary SchoolReplacement of boiler Replacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of roups (2No)Lythe C of E VC Primary SchoolReplacement of TNo electric storage heaters to top schoolLythe C of E VC Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boiler	School	Pressurise system
Primary SchoolReplace pipework to main nameIngleton Primary SchoolReplacement of boilerReplacement of pumps (3No)Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of 7No electric storage heaters to top schoolLythe C of E VC Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilers (2No)Selby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boiler	•	Replacement of boiler
Ingleton Primary SchoolReplacement of pumps (3No) Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of 7No electric storage heaters to top schoolLythe C of E VC Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilers (2No)Selby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boiler (2No)		Replace pipework to main hall
Replacement of pumps (2No)Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of 7No electric storage heaters to top schoolLythe C of E VC Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilers (2No)Selby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boiler	Ingleton Primary School	Replacement of boiler
Bedale C E Primary SchoolReplacement of calorifier/cylinderCrakehall CE Primary SchoolReplacement of 7No electric storage heaters to top schoolLythe C of E VC Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boiler		Replacement of pumps (3No)
Crakehall CE Primary SchoolReplacement of 7No electric storage heaters to top schoolLythe C of E VC Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilers (2No)Sharow CE Primary SchoolReplacement of boilers (2No)		Replacement of pumps (2No)
Lythe C of E VC Primary SchoolReplace water storage tanks or pressurise the systemSpennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilers (2No)Sharow CE Primary SchoolReplacement of boilers (2No)	Bedale C E Primary School	Replacement of calorifier/cylinder
Spennithorne CE Primary SchoolReplacement of Electric Overhead Radiant Heaters (4No)Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerSharow CE Primary SchoolReplacement of boilers (2No)	Crakehall CE Primary School	Replacement of 7No electric storage heaters to top school
Settrington All Saints' C of E VC Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerSharow CE Primary SchoolReplacement of boilers (2No)	Lythe C of E VC Primary School	Replace water storage tanks or pressurise the system
Primary SchoolReplacement of boilerKillinghall CE Primary SchoolReplacement of boilers (2No)Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerReplacement of boilerReplacement of boilerSchoolReplacement of boilers (2No)Sharow CE Primary SchoolReplacement of boiler	Spennithorne CE Primary School	Replacement of Electric Overhead Radiant Heaters (4No)
Roecliffe CE Primary SchoolReplacement of boilerSelby Abbey CE VC Primary SchoolReplacement of boilerReplacement of boilers (2No)Replacement of boilers (2No)Sharow CE Primary SchoolReplacement of boiler	0	Replacement of boiler
Selby Abbey CE VC Primary SchoolReplacement of boilerReplacement of boilers (2No)Sharow CE Primary SchoolReplacement of boiler	Killinghall CE Primary School	Replacement of boilers (2No)
School Replacement of boilers (2No) Sharow CE Primary School Replacement of boiler	Roecliffe CE Primary School	Replacement of boiler
SchoolReplacement of boilers (2No)Sharow CE Primary SchoolReplacement of boiler		Replacement of boiler
		Replacement of boilers (2No)
Bedale High School Replacement of boilers (3No)	Sharow CE Primary School	Replacement of boiler
	Bedale High School	Replacement of boilers (3No)

[Replacement of boilers (4No)
	Replacement of boiler
The Wensleydale School Malton School	Replacement of calorifier/cylinder
	Replacement of calorifier/cylinder
	Replacement of calorifiers/cylinders (4No)
King James' School	Replacement of boilers (3No)
	Replacement of calorifier/cylinder to 1No (Cellar) cellar
	Replacement of calorifier/cylinder to 2No rooms
	Replacement of boilers (2No)
Settle College	Replacement of boiler
Upper Wharfedale School	Replacement of boilers (2No)
Binon Crommor School	Replacement of boilers (2No)
Ripon Grammar School	Replacement of boiler
Boroughbridge High School	Replacement of boilers (3No)
Nidderdale High School & Community College	Replacement of boilers (2No)
	LTHW Calorifier/Cylinder - convert to gas pressurised heaters
Selby High School	Replacement of boiler
Total Programme Budget – including works, fees and contingency	£1.750m