



Default Specification for Protective Barrier  
N.T.S.




Key


- 1 Standard scaffold poles
- 2 Heavy gauge 2m tall galvanised tube and welded mesh infill panels
- 3 Panels secured to uprights and cross-members with wire ties
- 4 Ground level
- 5 Uprights driven into the ground until secure (minimum depth 0.6m)
- 6 Standard scaffold clamps




LEGEND




Site boundary




Existing vegetation to be retained



Existing vegetation to be removed



Cut back vegetation



Tree protection fencing  
(to BS 5837: 2012)

This drawing is the copyright of Rosetta Landscape Design and cannot be reproduced in any form without the express consent of the company. Written and scaled dimensions to be checked on site, any discrepancies reported prior to work commencing. **If in doubt please ask.**

This drawing has been prepared for the purpose of planning approval.

Base: Vincent & Brown 'Proposed Site Plan', 20020-(03)02 Rev P02

PROJECT	Daskett Hill, Sheriff Hutton		
TITLE	Tree Protection Plan		
CLIENT	Mr John Wilson		
DATE	12 Aug 24	SCALE 1 : 500	SHEET A2
DRAWN	BP	DRAWING NO	3717/6A
CHECKED	BP	REVISION	-



Chartered Landscape Architects

Swallow's Nest, Main Street  
Askham Richard, York, YO26 5NA

Telephone +44 (0)1904 500410

Email [design@rosettalandscap.co.uk](mailto:design@rosettalandscap.co.uk)  
Web [www.rosettalandscap.co.uk](http://www.rosettalandscap.co.uk)